SCIFR

Current State of Fire & EMS in Santa Clara Ivins 2022 & Vision 2030 Presented By: Andrew J. Parker Fire Chief

Deployment, Staffing & Response Requirements

UTAH EMS

- 1 Ambulance
 - 2 Personnel:
 - 1 Paramedic/FF
 - 1 EMT-A or B
 - This is a State of Utah EMS Requirement R426-4-200
 - Mutual Aid Agreement

ISO & NFPA 1710 (Company Personnel)

- 1 Fire Truck (Structure or Brush)
 - 3 Personnel:
 - 1 Supervisor
 - 1 Engineer Pump Operator
 - 1 FF/PM or FF/EMT
 - This is a NFPA 1710 Requirement (*4)
 - OSHA 29CFR 1910.134(g)(4)







Fire Service 3-5 Person Teams Response



Fire Service 3-5 Person Teams Response



1710 Teams Models Response



1710 Teams Models Response



Deployment, Staffing & Response ISO Rating

Current ISO Deployment Rating:

4.66 out of 10 points

Current ISO Staffing Rating:

4.44 out of 15 points

"This items examines the number and adequacy of existing engine and ladderservice companies to cover built-upon areas of the city; and existing firefighters and company officer available to respond" (ISO)

*3 Volunteer or Part Time = 1 Full Time





Station Status of Rachel Drive S.C.

Summer 21-FEB 2022 EMS Response Limited Fire

- Rachel Drive: (2) personnel 90% and (1) additional 50% of the time (2 Full & 1 Part Time)
 - 1 Type I Fire engine that was not medically certified (2017)
 - 1 Fire engine that was not medically certified (1996)
 - 2 Ambulances (2015 & 2000)
 - 1 Razor UTV (2016)
 - 1 F150 A-EMT Pick-Up Truck
 - 1 Type 6 (2004)

FEB 2022-MAY 2022

Fire & EMS Response

- Rachel Drive: (4) personnel 75% and (1) additional 10% of the time (3 Full Time & 2 Part Time)
 - 1 Type I Fire engine that is Advanced EMT medically certified (2017)
 - 1 Wildland Fire Engine (2007)
 - 1 Paramedic Ambulance (2015)
 - 1 Razor UTV (2016)
 - 1 Wildland Water Tender (2005)

Staffing & Response Timeline Since Fall 2021

- Fall 2021 (2) personnel on duty at the Rachel Station staffed (1) ambulance.
- 50% of the time there was a 3rd person on duty who staffed a Ford F150 pick-up truck that was outfitted with advanced level EMT medical gear, with no fire suppression capability.
- For the last 8 years, the State has granted our Paramedic ambulance to be staffed with advanced level EMT's due to limited Paramedic employees (3) on roster.
- SCIFR provided medical coverage 90% of the time and 10% fire coverage. If a fire call came in, the ambulance would respond and arrive on scene until the fire engine could arrive. Personnel arriving on the fire engine would respond from home delaying response.
- As of July 1st 2022, we will have (5) personnel on duty 24/7/365. (3) on a fire engine/Fire Response (2) on the ambulance /EMS Response.
- It will take (9) full time and (12) scheduled part-time employees and (12) float part-time employees to accomplish this (33 employees).

Station 31	UNIT ASSGN.	SHIFT		"A" SHIFT			"B" SHIFT			"C" SHIFT	
2365 Rachel Dr., Santa Clara, 84765	ENGINE 31	48/96	Capt.	Monahan#+^		Capt.	Hansen#+^		Capt.	Runolfson*#+^	
Station Telephone: (435) 656-0805		48/96	Eng	Youngberg#+%	_	Fee	Hill**#+		Ees	Taschuk**#+	
Cross Staffed Equipment:		48/90	Eng.	roungoerg#+36	F	Eng.	100 . 44		Eng.	Taschuk ** #+	
Brush Engine 31		48/96	FF/PM	Benoit**		FF/PM	Castello**		FF/PM	Moore**	
Water Tender 31											
Chase 31				"A" SHIFT			"B" SHIFT			"C" SHIFT	
UTV 31	UNIT ASSGN. MEDIC 31	24/120	FF/AEMT	T 1	SHIFT	FF/AEMT	Skidmore	SHIFT	FF	De de ser et se	SHIFT
	MEDIC 31	24/120	FF/ AEM I	Tidwell	A	FF/ AEM I	Skidmare	В	**	Rademacher	C
		24/120	FF/EMT-B	Merhav	Α	FF/AEMT	Pajoa	В	FF/AE MT	Har war d#	с
		24/120	FF/AEMT	Skinner	AA	FF/AEMT	lckes	BB	FF/AEMT	Zitting	cc
		24/120	FF/AEMT	Vacancy	АА	FF/AEMT	Vacancy	BB	FF/AEMT	Vacancy	cc
Station 32			"A" SHIFT RESERVES			"B" SHIFT RESERVES		"C" SHIFT RESERVES		RVES	
90 W Center St., Ivins, 84738	Engine 32		FF/AEMT	Bowler#%		FF/AEMT	Jessop		FF/PM	Grocket	
Station Telephone: (435) 674-5503			FF/AEMT	Holman		FF/AEMT	Dean		FF/AE MT	Kujawa	
Response Equipment:											
Brush Engine 32	Medic 32		FF/AEMT	Miller		FF/AEMT	Hurt		FF/AE MT	Pauling	
Brush Patrol 32			AEMT	Oliphant		FF/AEMT	Sullivan		PM	Johnson	
	UNIT ASSIGN.	SHIFT	ADMIN.			Volunteer Staff					
	CHIEF 31	M TU W TH	Chief Parker Part Time Capt. / AEMT Preston#+						Prestan#+		
		0700-1700				EE/AENAT	Jon Ward		FF/AEMT	Greg Leavitt	
	BATTALION 31	M TU W TH F	B/C	Fulde #+=%^		FF/AEM1	Jon Ward		FF/AEMI	Greg Leavitt	
		0700-1500	0,2			FF/AEMT	Tiffany Martin	eau	FF	Gino Christian	
	UTILITY 31	M TU W TH	M/O	Haynie #		FF	Scott Whitehe	ad	FF	Scott Galbraith	%
		0700-1300 F				FF	Paul Andrews		FF	Bob Greely	
		0700-1200				"	Faul Anurews			and areay	
Staion 33	Asst.	Tabi Marwood									
2875 Circle Dr., Santa Clara, 84765											
Reserve Equipment:											
Medic 33											
Parade 33	I										

Station Status of Center Street Ivins

- 2018-Summer of 2021
- Center Street: Personnel
 - 1 Fire engine that was not medically certified (2017)
 - 2 Paramedic Ambulances (1995, 2015)
 - 1 Brush Engine (2000)
 - 1 ladder Engine (2001)
 - 1 F150 A-EMT Pick-Up Truck

- March 2021-May 2022
- Wildlands Fire Station
- Center Street: (1) Fire Chief PM (1) Battalion Chief AEMT (1) Management Officer/Fire Engineer– part-time
 - 1 Fire Engine Medically Certified AEMT (1996)
 - 1 Paramedic Ambulance (2000)
 - 1 Wildland Brush Engine (2005)
 - 1 Wildland Brush Truck (2016)
 - 1 Battalion Chief F-150 Command (2013)
 - 1 Chief Command Tahoe (2019)
 - 1 Utility Pick-up (2006)

Staffing & Response Timeline Since Summer 2021 - February 2022

- February (0) personnel on duty at the lvins Station.
- March 1st, 2022, the Fire Chief who is a Paramedic, the Battalion Chief who is an Advanced EMT and the Fire Management Officer, who is a pump certified driver, were moved to the Ivins station.
- Personnel staff the station 0700-1700 M-TH and Friday 0700-1300
- In the event of a critical incident such as a cardiac arrest, the Battalion Chief has been responding to assist crews.
- In the event of a fire, all 3 personnel respond to the scene. The Management Officer will drive a fire engine if required.
- Our 8 Volunteers maintain equipment and respond from this station under the direction of our Part Time Fire Captain.
- We were unsuccessful in recruiting for our seasonal wildland crew this year.

Station Status as of Circle Street S.C.

2018-MARCH 2022 Wildlands Station

- Circle Street: (5) Personnel Seasonal *M-TH 7-5
 - 1 Wildland Brush Truck (2016)
 - 1 Wildland Brush Engine (2005)

MARCH 2022-May 2022 Station is Not in Service

- Circle Street: (0) Personnel
 - 1 Paramedic Ambulance (1995)
 - 1 Parade Truck

Staffing & Response Timeline Since 2018

2018 (0) personnel on duty at the Circle Street, however this was used as a meeting location for our traditional seasonal wildland crew.

This station has no personnel assigned and is used to store a special event ambulance and parade truck.

Problem – No full time EMS and Fire Crews at the lvins Station

Solution #1 – Move the ambulance crew to the station during day operations until accommodations can be made to house the crew. Crews can cross staff equipment for fire calls if they are not on a medical call. Personnel Cost: \$0

Solution #2- Hire a second ambulance crew with (12) part-time staff who can be housed at the station 24/7/365. Personnel Cost: \$290,000

Solution #3 – Hire a second ambulance crew as in option 2 and (3) full time supervisors for a limited fire response. Personnel Cost: \$290,000+\$330,000=\$620,000.

Solution #4- (Vision 2030) Hire a second ambulance crew and (9) full time personnel to match the Rachel Station. Personnel Cost: \$290,000+\$990,000= \$1.28MIL

Ladder Problem, Solution, End State Analysis

- Current ISO for Ladder: 1.65 points out of 4 points
- Based on 1710: Ladder required for 3 stories or 35' or more
- Need for ladder rescue due to "off-set scape"






 Buildings that require a ladder truck to rescue victims if trapped in the upper floors & access roofs for HVAC fire and ventilation : Canyon Suites at Tuacahn, 1100 Tuacahn Drive





 Buildings that require a ladder truck to rescue victims if trapped in the upper floors & access roofs for HVAC fire and ventilation : Crimson Cliffs Residences, 95N 400East

 Buildings that require a ladder truck to rescue victims if trapped in the upper floors & access roofs for HVAC fire and ventilation : Rocky Vista University, 255 East Center.



 Buildings that require a ladder truck to rescue victims if trapped in the upper floors & access roofs for HVAC fire and ventilation : Movara Fitness, 290 S Fitness Way.



 Buildings that require a ladder truck to rescue victims if trapped in the upper floors & access roofs for HVAC fire and ventilation : Red Mountain Resort, 1275 Red Mountain.



 Buildings that require a ladder truck to rescue victims if trapped in the upper floors & access roofs for HVAC fire and ventilation : Lava Ridge Intermediate, 2425 Rachel.



 Buildings that require a ladder truck to rescue victims if trapped in the upper floors & access roofs for HVAC fire and ventilation : Harmons, 3520 Pioneer Pkwy.



 Buildings that require a ladder truck to rescue victims if trapped in the upper floors & access roofs for HVAC fire and ventilation : S.C. City Hall, 2603 Santa Clara.



 Buildings that require a ladder truck to rescue victims if trapped in the upper floors & access roofs for HVAC fire and ventilation : LDS Church, 3816 Rachel.



Current Elevated Stream Engine "Not an adequate Ladder"

Quint/Squirt

- 55-61' Ladder
- Considerations
 - Wear and Tear From Ladder on Cab
 - Not Designed for Rescue
 - No Hoist Lift
 - Water Way and Pump Maint.
 - Compartment Space



Ladder Trucks Styles

Platform

- 75-107' Ladder
- Considerations
 - Heavy
 - Maneuverability
 - Hard on brakes/tires
 - Basket Difficult for Rescue
 - Difficult Hoist Lift
 - Water Way and Pump Maint.
 - Acceleration / Braking



Ladder Trucks Styles

TDA Quint

- 100-110' Ladder
- Considerations
 - Heavy
 - Water Way and Pump Maint.
 - Acceleration / Braking (water tank /weight)
 - More Compartment Space



Ladder Trucks Styles

TDA

- 100-110' Ladder
- Considerations:
 - Hoist Capable
 - No Water Tank
 - Maneuverable (Jack-knife)
 - Less weight
 - No Pump
 - Easy Rescue
 - More Compartment Space



Ladder Truck Capabilities





GANTA CLARA

VRE & RESCUE

• Current ISO for Engine Co: 2.97 points out of 6 points

BRUTE

• Based on 1710: 4 Engines in service and (2) to provide a first alarm response 24/7/365


Response Times

- Regarding the response to the 300 South Main Fire:
- Engine 31 was paged at 2:10PM and arrived 2:16PM.
- The NFPA (National Fire Protection Association) Standard 1710 establishes a 9 minute and 20 seconds response time, which we are well within.
- B/C 31 arrived at 2:14PM, Medic 31 arrived at 2:16PM, and Utility 31 arrived at 2:16PM.
- Volunteers later arrived, for a total staffing of ten certified firefighting personnel.


Response Times

- Our <u>average</u> response time to lvins incidents since the 2018 merger is 6 minutes and 18 seconds.
- The average response time to Santa Clara incidents in the same time period is 6 minutes 44 seconds.
- The rational for the 2365 Rachel Drive (Station 31) station as being the current manned station is based on fact-based analysis and what provides the best response for the citizens of both Santa Clara & Ivins <u>within confines of budget</u>.
- Our response times to both cities are almost identical, and this is by design with response times well under the industry standard.
- Prior to the merger, both departments response to fires were volunteer only. The average response time to a structure fire for Ivins City Fire Department was 7 minutes 26 seconds; and the Santa Clara Fire Department was 7 minutes 5 seconds.
- We have already vastly improved our response times as a result of the merger


Two Year Period All Calls




Response Times are Extended to Kayenta From Rachel vs. Center Rachel 4.7mi (8min) Center 2.1mi (4min)




ISO Rating lvins



ISO Rating Santa Clara






(2-Story) 3-Bay Design/Administration 24/7/365 CREW CH 31 FT STAFF 1-Capt M 31A 1-Eng Type III UT 31 1-FFPM TDA BE 31 L 31 PTSTAFF Type I 1-FFAEMT BC 31 E-31 1-FFAEMT M 31

SANTA CLARA STATION 31 "DOWNTOWN"



SANTA CLARA STATION 33 "RACHEL WILDLAND/TRAINING/EOC"

(1 Story) 3-Bay Existing






24/7/365 CREW IVINS STATION 32 "DOWNTOWN" {1-Story}3-BAY Design Station

Type III

BE 33





Deployment, Staffing & Response ISO Rating 2030

ISO Rating 3 For both Santa Clara Ivins



